

Subject Index

A

Absolute CAP Movement 8-4
Addressability 3-10
Alphanumeric ID A-2
AppleTalk 6-10
Arbitrary Masking 16-25
Auto Centering 20-24
Auto Justification 20-24

B

Backus-Naur Form (BNF) 4-9
Bar Codes 20-11 to 20-13
Binary Data Transfers 4-5
Binding 6-4, 6-5
Bound Font 12-1

C

CAP (Current Active Position)
 Default 3-8, 8-6
 Fixed 3-8, 8-6
 Floating 3-8, 8-6
 Saving CAP 8-11
 Tabs 8-8, 19-2, 19-3
 Units of Movement 3-9, 8-5
CAP Movement
 Absolute 8-4
 Horizontal 8-7
 Relative 8-4
 Vertical 8-9
CCITT Raster Compression 13-19
Character
 Baseline 8-2
 Black Data (Image Data) 8-2
 Cell 8-2
 Code 5-2, 11-3,
 Code Chart 5-3

Character (continued)

 Definition 11-2, 11-4
 Delta X 8-2
 Descriptor 11-2, 11-4, 11-8
 Downloading 11-1
 Escapement 8-2
 Motion Index (CMI) 7-14
 Offset 8-2
 Processing 5-2
 Side Bearing 8-2
CID (Configure Image Data) 14-15
Clip Mask 16-26
Cluster Printing A-6
CMI (Character Motion Index) 7-14
Color
 CID (Configure Image Data) 14-15
 Concepts 14-2
 Configuration 14-15, 15-1
 Device Dependent 14-2, 14-5
 Device Independent 14-2, 14-5
 Halftoning 14-42
 Dither Matrices 14-44
 Encoding 14-3
 Foreground 14-41
 Gamma Correction 14-49
 Illuminant 14-50
 Indexed 14-3
 Lookup Tables 14-48
 Matching 14-6
 Options 14-4
 Palette 14-2, 14-13, 14-28
 Pipeline Processing 14-7
 Raster 14-2, 14-7
 Raster Depletion
 Selection 14-3
 Simple 14-13
 Space 14-16
 Text 14-41, 20-14
Columns 3-9, 8-5, 8-8
Compressing Data 13-12
Control Codes 5-2, 5-4
Copies 6-8
Current Active Position (CAP) see CAP

2 Subject Index

D

Data Segment 10-26
Decipoint 3-9, 8-5
Defaults 2-2, 17-6
Device Specific Control 6-13
Diagnostics 6-12
Digital Halftoning 14-42
Display Functions 5-11
Downloadable Symbol Sets (Typefaces) 12-1
Downloading Fonts 10-1
Driver Configuration 6-17
Driverware 6-17
Dry Timer 6-13
Duplexing 6-4

E

Echo 19-12
End Raster Graphics 13-6, 20-14
End-of-Line Wrap 5-13
Environment 2-2, 16-7, 17-7
EOL (see End-of-Line Wrap)
Escapement Encapsulated Text 5-14
Escape Sequence 4-1, 5-4

F

Factory Environment 2-2
Flash Memory 9-6
Floating Point Format 4-11, 14-22
Font
 Attribute Priority 9-4
 Attribute Selection 9-5, 9-8
 Bound 12-1
 Character Code 5-2, 11-1, 11-3
 Character Definition 11-2, 11-4
 Character Descriptor 11-2, 11-6
 Data Segments 10-26
 Descriptor 10-2 10-11
 Downloading 10-1
 Height 9-19, 10-14, 10-20
 ID 10-3
 Management 10-38
 Pitch 9-18, 10-14, 10-20

Font (continued)

 Primary 9-7
 Quality 10-18, 20-25
 Secondary 9-7
 Selection Algorithm 9-5
 Selection by ID 9-4
 Selection Commands 9-8
 Selection Table 9-3
 Soft 10-1
 Spacing 9-17, 10-13
 Stroke Weight 9-22, 10-15
 Style 9-20, 10-12, 10-15
 Typeface 9-23, 10-16
 Unbound 12-1

G

Gamma Correction 14-49
GPIS 20-8, 20-11
Graphics
 Raster 13-1
 Vector 17-1
Gray Balance 6-13
Grid Centered 16-14
Grid Intersection 16-14

H

Half Linefeed 20-3
Halftoning 14-42
HCI (High Capacity Input) A-7
HCO (High Capacity Output) A-9
HMI 7-14
Horizontal Positioning 8-7
HP-GL/2
 Defaults 17-6
 Dual Context 17-2
 Entering 17-2
 Exiting 17-5
 Imaging 14-5
 Merging 17-2
 Modifications in the PCL Context 17-16
 Palette 14-31
 Patterns 16-15
 Scaling 17-13

I

Illuminant 14-50
 Image Processing 14-4, 14-15, 15-1
 Implicit Command 1-7, 13-4
 Internal HP Sequences 6-16
 I/O Status 20-26

J

Job Control 2-1, 6-2

- Copies 6-8
- Device Specific Control 6-135
- Duplexing 6-46
- Job Separation 6-3
- Negative Motion 6-8
- Print Environment 2-2, 17-7, 18-3
- Registration 6-8, 7-2
- Restoring Defaults 2-2, 6-2, 17-6

 Job Separation 6-3

L

Large Characters 20-22
 Line Motion Index 7-15
 Line Spacing 7-13
 Line Termination 5-11, 8-7
 LMI 7-15
 Logical Operation 16-5
 Logical Page

- Coordinate System 3-2
- Definition 3-1
- Length 7-3
- Orientation 3-7
- Size 7-2, 7-3, 7-4

 Lookup Table 14-48

M

Macro

- Commands 18-7
- Creating 18-2
- Examples 18-11
- Invoking 18-2
- Managing 18-3, 18-7
- Rules 18-6

 Margins

- Bottom 3-4, 7-18
- Left 3-4, 7-18
- Printing Outside 3-5
- Raster Graphics 3-5, 13-2, 13-8
- Right 3-4, 7-18
- Text 3-4, 7-18
- Top 3-4, 7-18

 Matrix (Dither) 14-44
 Mechanical Print Quality 6-14
 Media

- Destination 6-4
- Size 7-3
- Source 7-8, A-7
- Type 6-15

 Model Number 20-27
 Modified Print Environment 2-2, 17-8, 18-3
 Movement (CAP) 8-1
 Monochrome Print Mode 14-51

N

Negative Motion 6-8

O

Obsolete Codes 20-1
 Offset

- X Offset 20-14
- Y Offset 13-9

 Orientation

- Font 3-7, 9-4
- Logical Page 3-7, 7-9, 17-3, 17-11

 Overlay Print Environment 2-2, 18-2, 18-5

4 Subject Index

P

Page

- Length 3-1, 7-3
- Logical 3-1, 7-3, 7-4
- Margins
 - Raster 3-5, 13-2, 13-8, 13-22
 - Text 3-4, 7-18
- Marking Primitives 14-7
- Orientation 3-7, 7-9, 17-11
- Physical 3-1, 7-2
- Printable Area 3-1, 7-19
- Size 3-1, 7-2
- Text Area 3-4, 7-18

Palette

- CID 14-30
- Configuration 14-12
- Control 14-40
- Definition 14-2, 14-13, 14-28
- HP-GL/2 14-31
- ID 14-38
- Managing 14-38
- Programming 14-36
- Saving 14-37
- Selecting 14-39
- Simple Color 14-14

Patterns 16-15

Pattern Transparency Mode 16-2, 16-10

PCL Commands

- Combining Sequences 4-8
- Illegal Syntax 4-7
- Order of Execution 4-7
- Parameterized Sequences 4-2
 - As Modes 4-7
- Rules for PCL Commands 4-7
- Two-Character Sequences 4-2
- Unrecognized Sequences 4-7

PCL Committee 1-2

PCL Implementor's Guide 1-3

PCL Language

- Guidelines for Language Design 1-7
- Modification 1-3
- Objectives of the PCL Language 1-5
- Proposal Format 1-4
- Proposal Process 1-3

PCL Page 3-1

PCL Unit 3-9, 6-9, 8-5

Perforation Skip 3-4, 7-19, 7-22

Peripheral Configuration 6-10

Physical Page 3-1, 7-2

Pitch 9-18, 10-14, 10-20

Pixel Placement 16-14

PJL (Printer Job Language) 2-1, 2-5

PML (Peripheral Management Language) 2-8

Presentation Mode 13-7

Primary Fonts 9-7

Print Direction 7-11, 7-12

Print Environment 2-2, 17-7, 18-3

Print Model

Default 16-9

Logical Operation 16-4

Patterns 16-15

Process 16-2

Rectangular Area Fills (Rules) 16-22

Transparency Modes 16-2, 16-4, 16-10

Print Mode

Display Functions 5-11

Finish 14-51

Graphics 20-9

Monochrome 14-51

PCL Commands as Modes 4-7

Text 20-10

Transparent Data 5-11

Printable Area 3-1, 7-2, 7-19

Printer Diagnostics 6-12

Printer Job Language (PJL) 2-1, 2-5

Printer Management Language (PML) 2-8

Printing Outside Margins 3-5

Product Matrix B-1

Q

QMS Magnum-V 20-27

Quality

- Font 10-18, 20-25
- Mechanical Print 6-14
- Print 6-14
- Raster 20-10

R

Raster

- Area 13-2
- Color 14-1
- Compressing Data 13-11
- Definition 13-1
- Graphics Depletion 6-13
- Height
 - Destination 13-2, 13-22
 - Source 13-2, 13-9
- Image 13-1
- Mode 13-4
- Quality 6-14, 20-10
- Resolution 3-11, 13-6
- Scaling 13-2, 13-22
- Data Transfer 13-10
- Vertical CAP Movement 13-9
- Width
 - Destination 13-2, 13-22
 - Source 13-2, 13-8

Rectangular Area Fill (Rule) 16-22

Registration 6-6

Relative CAP Movement 3-8, 8-4

Render Algorithm 14-42

Reset 2-2, 6-12, 17-6

Resolution

- Font 9-4, 9-6, 10-4, 10-22
- Printer 3-10
- Raster 3-11, 13-6

ROP 16-3, 16-5

Rule (Rectangular Area Fill) 16-22

S

Saving CAP 8-11

Saving the Palette 14-37

Scaling

- Font 9-2, 9-4, 10-2
- Raster 13-2, 13-5, 13-22
- HP-GL/2 Plots 17-13

Secondary Fonts 9-7

Seed Row 13-14, 13-21

Self Test 6-12

Side Bearing 8-2

Simplex 6-4

Soft Fonts 10-1

Source Transparency Mode 16-10

Space 5-6, 7-14

Stack

- CAP 8-11
- Palette 14-37

Start Raster Graphics 13-5

Status 19-1, 20-27

Status Readback 19-1

Stroke Weight 9-22, 10-15

Style 9-20, 10-15, 10-18

Symbol Collection 12-2

Symbol Index 12-3

Symbol Set

- Code 12-5
- Control 12-11
- Definition 5-2, 5-8, 12-5, 12-6
- Downloadable (Typefaces) 12-5
- HP-7 Compatible 5-8
- HP-8 Compatible 5-9
- PC-8 Compatible 5-10
- HP Symbol Sets 5-10
- Font Selection by 9-8
- Type 10-11
- Downloaded with Font Definition 10-14

T

Tabs 5-5, 20-3, 20-4, 20-22, 20-23

Termination

Character 4-5

Line 5-7

Text

Area 3-4

Enhancements 5-12

Length 3-4, 7-18, 7-21

Parsing Method 5-17

Path Direction 7-16

Processing 5-2

Texture 16-3, 16-4

Top of Form 7-21

Transparent Data Mode 5-11

Transparency Modes 16-2, 16-3, 16-4, 16-10

Transferring Raster Data 13-10

Typeface

Command 9-23

Font Descriptor Field 10-16

Downloadable Typefaces (Symbol Sets) 12-5

List 9-25

U

UEL 2-6

Underline 5-12, 10-19, 10-37

Underware 1-8, 6-20

Unimplemented Features A-1

Universal Exit Language/Start of PJI (UEL) 2-6

Unit of Measure 6-9

Units of Movement 3-96, 6-9, 8-5

User-Defined Pattern 16-18

V

Vector Graphics (HP-GL/2) 17-1

Viewing Illuminant 15-15

VFC 20-5

VMI (LMI) 7-14