Index by Command

Alphanumeric ID ..... *Esc&n#W* A-2
Assign Color Index ..... *Esc*v#I* 14-36
Auto Centering and Justification ..... *Esc&l#J* 20-24
Backspace ..... *<BS>* 5-4
Bar Code Header Control ..... *Esc*z#Q* 20-12
Bar Code Label ..... *Esc*z<bar code>Z* 20-12
Bar Code Label Height ..... *Esc*z#H* 20-11
Bar Code Label Placement ..... *Esc*z#C* 20-11
Bar Code Label X Offset ..... *Esc*z#X* 20-12
Bar Code Narrow Bar Width ..... *Esc*z#S* 20-13
Bar Code Narrow Space Width ..... *Esc*z#U* 20-13
Bar Code Selection ..... *Esc*z#V* 20-13
Bar Code Wide Bar Width ..... *Esc*z#R* 20-13
Bar Code Wide Space Width ..... *Esc*z#T* 20-13
Bell ..... *<BEL>* 5-4
Carriage Return ..... *<CR>* 5-4
Character Code ..... *Esc*c#E* 11-3
Character Motion Index (CMI — formerly HMI) ..... *Esc&k#H* 7-14
Character Set Default Control ..... *Esc&s#I* 20-24
Character Set Selection Control ..... *Esc&k#I* 20-23
Clear All Horizontal Tabs *Esc3* 20-3
Clear All Vertical Tabs ..... *Esc&l3M* 20-4
Clear Horizontal Margins *Esc9* 7-20
Clear Horizontal Tab ..... *Esc&a#U* 20-3
Clear Horizontal Tab at Current Column *Esc2* 20-3
Clear Vertical Tab (Absolute) ..... *Esc&l#R* 20-4
Clear Vertical Tab (Relative) ..... *Esc&l2M* 20-4
Clip Mask ..... *Esc*l#P* 16-26
Cluster Printing ..... *Esc&c#W* A-6
Color Component 1 ..... *Esc*v#A* 14-36
Color Component 2 ..... *Esc*v#B* 14-36
Color Component 3 ..... *Esc*v#C* 14-36
Color Lookup Tables ..... *Esc*l#W* 14-48
Color Raster Graphics Depletion ..... *Esc*o#D* 6-13
Comment ..... *@PJL COMMENT* 2-6
Compression Method ..... *Esc*b#M* 13-12
Configure Image Data (CID) ..... *Esc*v#W* 14-15
Configure Raster Data (CRD) ..... *Esc*g#W* 15-2
Configure Raster Data (format 1) ..... *Esc*g#W* 20-15
Copies ..... *Esc&l#X* 6-8
Current Pattern ..... *Esc*v#T* 16-16

Define VFC Table ..... *Esc&l#W* 20-5
Designate Primary Font ..... *Esc(#@* 6-16
Designate Secondary Font ..... *Esc)#@* 6-16
Destination Raster Height ..... *Esc*t#V* 13-22
Destination Raster Width ..... *Esc*t#H* 13-22
Disable Underline ..... *Esc&d@* 5-12
Display Functions Mode OFF ..... *EscZ* 5-11
Display Functions Mode ON ..... *EscY* 5-11
Download Character ..... *Esc(s#W* 11-4
Download Dither Matrix ..... *Esc*m#W* 14-44
Download Font ..... *Esc)s#W* 10-4
Download Pattern ..... *Esc*c#W* 16-18
Download Symbol Set ..... *Esc(f#W* 12-6
Driver Function Configuration ..... *Esc*o#W* 6-17
Dry Timer ..... *Esc&b#T* 6-13
Duplex Page Side ..... *Esc&a#G* 6-4
Echo ..... *Esc*s#X* 19-12
Enable Underline ..... *Esc&d#D* 5-12
End Raster ..... *Esc*rC* 13-6
End Raster Graphics ..... *Esc*rB* 20-14
End-of-Line Wrap ..... *Esc&s#C* 5-13
Enter HP-GL/2 Mode ..... *Esc%#B* 17-2
Enter Language ..... *@PJL ENTER LANGUAGE* 2-6
Enter PCL Mode ..... *Esc%#A* 17-5
Escape ..... *<ESC>* 5-4
Escapement Encapsulated Text ..... *Esc&p#W* 5-14
Fill Rectangular Area ..... *Esc*c#P* 16-23
Finish Mode ..... *Esc*o#A* 14-51
Flush All Pages ..... *Esc&r#F* 19-11
Font Control ..... *Esc*c#F* 10-39
Font Height (Primary) ..... *Esc(s#V* 9-19
Font Height (Secondary) ..... *Esc)s#V* 9-19
Font ID ..... *Esc*c#D* 10-3
Font Pitch (Primary) ..... *Esc(s#H* 9-18
Font Pitch (Secondary) ..... *Esc)s#H* 9-18
Font Quality (Primary) ..... *Esc(s#Q* 20-25
Font Quality (Secondary) ..... *Esc)s#Q* 20-25
Font Selection by ID (Primary) ..... *Esc(#X* 9-43
Font Selection by ID (Secondary) ..... *Esc)#X* 9-43
Font Spacing (Primary) ..... *Esc(s#P* 9-17
Font Spacing (Secondary) ..... *Esc)s#P* 9-17
Font Stroke Weight (Primary) ..... *Esc(#B* 9-22
Font Stroke Weight (Secondary) ..... *Esc)#B* 9-22
Font Style (Primary) ..... *Esc(s#S* 9-20
Font Style (Secondary) ..... *Esc)s#S* 9-20
Font Symbol Set (Primary) ..... *Esc(ID* 9-8
Font Symbol Set (Secondary) ..... *Esc)ID* 9-8
Font Typeface (Primary) ..... *Esc(s#T* 9-23
Font Typeface (Secondary) ..... *Esc)s#T* 9-23
Foreground Color ..... *Esc*v#S* 14-41
Formfeed ..... *<FF>* 5-5

Free Space ..... *Esc*s#M* 19-10
Gamma Correction ..... *Esc*t#I* 14-49
GPIS Data Binding ..... *Esc*t#G* 20-8
GPIS Data Transfer ..... *Esc*t#W* 20-11
Gray Balance ..... *Esc*b#B* 6-13
Half Linefeed ..... *Esc=* 20-3
Head View Enable/Disable ..... *Esc&k#V* 20-28
Horizontal Picture Dimension ..... *Esc*t#H* 20-8
Horizontal Raster Resolution ..... *Esc*r#L* 20-8
Horizontal Rectangle Size (decipoints) ..... *Esc*c#H* 16-23
Horizontal Rectangle Size (PCL Units) ..... *Esc*c#A* 16-22
Horizontal Tab ..... *<HT>* 5-5
Horizontal Tabulation ..... *EscI* 20-3
I/O Status Request ..... *Esc?* 20-26
Inquire Entity ..... *Esc*s#I* 19-5
Job Separation ..... *Esc&l#T* 6-3
Large Character Horizontal Size ..... *Esc*c#S* 20-22
Large Character Placement ..... *Esc*c#C* 20-22
Large Character Print Data ..... *Esc*c<text>Z* 20-23
Large Character Size ..... *Esc*c#M* 20-22
Large Character Tab ..... *Esc*c#N* 20-22
Large Character X Offset ..... *Esc*c#X* 20-23
Left Margin ..... *Esc&a#L* 7-20
Left Registration ..... *Esc&l#U* 6-6
Line Motion Index (LMI — formerly VMI) ..... *Esc&l#C* 7-15
Line Spacing ..... *Esc&l#D* 7-15
Line Termination ..... *Esc&k#G* 5-7
Linefeed ..... *<LF>* 5-6
Location Type ..... *Esc*s#T* 19-4
Location Unit ..... *Esc*s#U* 19-4
Logical Operation ..... *Esc*l#O* 16-5
Macro Control ..... *Esc&f#X* 18-7
Macro ID ..... *Esc&f#Y* 18-7
Mechanical Print Quality ..... *Esc*o#Q* 6-14
Media Destination ..... *Esc&l#G* 6-4
Media Destination ..... *Esc&l#G* A-9
Media Eject Length ..... *Esc&f#F* 7-6
Media Source ..... *Esc&l#H* 7-8
Media Source ..... *Esc&l#H* A-7
Media Type ..... *Esc&l#M* 6-15
Monochrome Print Mode ..... *Esc&l#B* 14-51
Move CAP Horizontal (Columns) ..... *Esc&a#C* 8-8
Move CAP Horizontal (Decipoints) ..... *Esc&a#H* 8-7
Move CAP Horizontal (PCL Units) ..... *Esc*p#X* 8-8
Move CAP Vertical (Decipoints) ..... *Esc&a#V* 8-10
Move CAP Vertical (PCL Units) ..... *Esc*p#Y* 8-10
Move CAP Vertical (Rows) ..... *Esc&a#R* 8-9
Negative Motion ..... *Esc&a#N* 6-8
Null ..... *<NUL>* 5-6
Orientation ..... *Esc&l#O* 7-11
Page Length ..... *Esc&l#P* 7-3

Page Size.....*Esc&l#A*..... 7-4
Page Width.....*Esc&f#G*..... 7-7
Palette Configuration.....*Esc&p#C*.....14-32
Palette Control.....*Esc&p#C*.....14-40
Palette Control ID.....*Esc&p#I*.....14-39
Pattern Control.....*Esc*c#Q*.....16-20
Pattern ID.....*Esc*c#G*.....16-16
Pattern Reference Point.....*Esc*p#R*.....16-21
Perforation Skip Mode.....*Esc&l#L*.....7-22
Peripheral Configuration.....*Esc&b#W*.....6-10
Picture Frame Anchor Point.....*Esc*c#T*.....17-9
Picture Frame Size (Horizontal).....*Esc*c#X*.....17-10
Picture Frame Size (Vertical).....*Esc*c#Y*.....17-10
Pixel Placement.....*Esc*l#R*.....16-14
Plot Size (Horizontal).....*Esc*c#K*.....17-15
Plot Size (Vertical).....*Esc*c#L*.....17-15
Primary and Secondary Pitch Mode.....*Esc&k#S*.....20-24
Primary Font.....*<SI>*..... 9-7
Primary Font Placement.....*Esc(s#U*.....20-25
Primary Status Request.....*Esc^*.....20-27
Print Control.....*Esc*t#P*.....20-9
Print Direction.....*Esc&a#P*.....7-12
Print Enhancement (Underline).....*Esc&k#E*.....20-25
Print Mode (Graphics).....*Esc*p#N*.....20-9
Print Mode (Text).....*Esc*p#N*.....20-10
Print Quality.....*Esc*o#M*.....6-14
Print with Paper Motion via VFC.....*Esc&l#V*.....20-5
Push/Pop CAP.....*Esc&f#S*.....8-11
Push/Pop Palette.....*Esc*p#P*.....14-37
QMS Magnum-V Enable/Disable.....*Esc*t#F*.....20-27
Raster Graphics Quality.....*Esc*r#Q*.....20-10
Raster Presentation.....*Esc*r#F*.....13-7
Raster Resolution.....*Esc*t#R*.....13-6
Raster Y Offset.....*Esc*b#Y*.....13-9
Render Algorithm.....*Esc*t#J*.....14-42
Reset.....*EscE*.....17-6
Reset.....*EscE*..... 6-2
Return Model Number.....*Esc*r#K*.....20-27
Return Model Number.....*Esc*s#^*.....20-27
Right Margin.....*Esc&a#M*.....7-20
Scale Algorithm.....*Esc*t#K*.....13-23
Secondary Font.....*<SO>*..... 9-7
Secondary Font Placement.....*Esc)s#U*.....20-25
Seed Row Source.....*Esc*b#S*.....13-21
Select Palette.....*Esc&p#S*.....14-39
Self Test.....*Escz*.....6-12
Set Horizontal Tab.....*Esc&a#T*.....20-3
Set Horizontal Tab at Current Column.....*Esc1*.....20-3
Set Left Margin at Current Horiz Position.....*Esc4*.....20-26
Set Right Margin at Current Horiz Position.....*Esc5*.....20-26
Set Vertical Tab (Absolute).....*Esc&l#Y*.....20-4

Set Vertical Tab (Relative) ..... *Esc&l1M* 20-4
Shift In ..... *<SI>* 5-6
Shift Out ..... *<SO>* 5-6
Shift-In/Shift-Out Control ..... *Esc&k#F* 20-25
Simple Color ..... *Esc*r#U* 14-13
Simplex/Duplex ..... *Esc&l#S* 6-4
Source Raster Height ..... *Esc*r#T* 13-9
Source Raster Width ..... *Esc*r#S* 13-8
Space ..... *<SP>* 5-6
Start Raster ..... *Esc*r#A* 13-5
Symbol Set Code ..... *Esc*c#R* 12-5
Symbol Set Control ..... *Esc*c#S* 12-11
Text Color ..... *Esc&v#S* 20-14
Text Length ..... *Esc&l#F* 7-21
Text Parsing Method ..... *Esc&t#P* 5-17
Text Path Direction ..... *Esc&c#T* 7-16
Top Margin ..... *Esc&l#E* 7-21
Top Registration ..... *Esc&l#Z* 6-6
Transfer Raster by Plane ..... *Esc*b#V* 13-10
Transfer Raster by Row/Block ..... *Esc*b#W* 13-11
Transfer to the Off-Line State ..... *Esco* 20-27
Transfer to the On-Line State ..... *Escn* 20-27
Transparency Mode (Pattern) ..... *Esc*v#O* 16-10
Transparency Mode (Source) ..... *Esc*v#N* 16-10
Transparent Data Transfer ..... *Esc&p#X* 5-11
Underware Function Configuration ..... *Esc&i#W* 6-20
Unit of Measure ..... *Esc&u#D* 6-9
Universal Exit Language (UEL) *Esc%-12345X* 2-6
Vector Graphics Mapping Mode ..... *Esc*t#N* 20-9
Vector Graphics Operating Mode ..... *Esc*t#M* 20-9
Vertical Picture Dimension ..... *Esc*t#V* 20-11
Vertical Raster Resolution ..... *Esc*r#V* 20-8
Vertical Rectangle Size (decipoints) ..... *Esc*c#V* 16-23
Vertical Rectangle Size (PCL Units) ..... *Esc*c#B* 16-22
Vertical Tab ..... *<VT>* 20-3
Viewing Illuminant ..... *Esc*i#W* 14-50
X Offset ..... *Esc*b#X* 20-14