

Index by Escape Sequence

<BEL>.....	Bell.....	5-4
<BS>	Backspace.....	5-4
<CR>.....	Carriage Return.....	5-4
<ESC>.....	Escape	5-4
<FF>.....	Formfeed	5-5
<HT>.....	Horizontal Tab.....	5-5
<LF>.....	Linefeed	5-6
<NUL>.....	Null	5-6
<SI>	Primary Font.....	9-7
<SI>	Shift In	5-6
<SO>.....	Secondary Font.....	9-7
<SO>.....	Shift Out.....	5-6
<SP>.....	Space	5-6
<VT>.....	Vertical Tab.....	20-3
@PJL COMMENT	Comment.....	2-6
@PJL ENTER LANGUAGE	Enter Language.....	2-6
Esc%#A.....	Enter PCL Mode.....	17-5
Esc%#B.....	Enter HP-GL/2 Mode.....	17-2
Esc%-12345X.....	Universal Exit Language.....	2-6
Esc&a#C.....	Move CAP Horizontal (Columns)	8-8
Esc&a#G	Duplex Page Side.....	6-4
Esc&a#H	Move CAP Horizontal (Decipoints)	8-7
Esc&a#L.....	Left Margin	7-20
Esc&a#M.....	Right Margin	7-20
Esc&a#N.....	Negative Motion	6-8
Esc&a#P.....	Print Direction	7-12
Esc&a#R.....	Move CAP Vertical (Rows)	8-9
Esc&a#T.....	Set Horizontal Tab.....	20-3
Esc&a#U	Clear Horizontal Tab.....	20-3
Esc&a#V.....	Move CAP Vertical (Decipoints)	8-10
Esc&b#T	Dry Timer.....	6-13
Esc&b#W	Peripheral Configuration.....	6-10
Esc&c#T	Text Path Direction.....	7-16
Esc&c#W	Cluster Printing.....	A-6
Esc&d#D	Enable Underline	5-12
Esc&d@.....	Disable Underline	5-12
Esc&f#F.....	Media Eject Length.....	7-6
Esc&f#G	Page Width	7-7
Esc&f#S.....	Push/Pop CAP	8-11
Esc&f#X.....	Macro Control	18-7
Esc&f#Y.....	Macro ID	18-7

<i>Esc&i#W</i>	Underware Function Configuration	6-20
<i>Esc&k#E</i>	Print Enhancement (Underline)	20-25
<i>Esc&k#F</i>	Shift-In/Shift-Out Control	20-25
<i>Esc&k#G</i>	Line Termination	5-7
<i>Esc&k#H</i>	Character Motion Index (CMI — formerly HMI)	7-14
<i>Esc&k#I</i>	Character Set Selection Control.....	20-23
<i>Esc&k#S</i>	Primary and Secondary Pitch Mode.....	20-24
<i>Esc&k#V</i>	Head View Enable/Disable	20-28
<i>Esc&l#A</i>	Page Size	7-4
<i>Esc&l#B</i>	Monochrome Print Mode	14-51
<i>Esc&l#C</i>	Line Motion Index (LMI — formerly VMI)).....	7-15
<i>Esc&l#D</i>	Line Spacing.....	7-15
<i>Esc&l#E</i>	Top Margin.....	7-21
<i>Esc&l#F</i>	Text Length	7-21
<i>Esc&l#G</i>	Media Destination.....	6-4
<i>Esc&l#G</i>	Media Destination.....	A-9
<i>Esc&l#H</i>	Media Source.....	7-8
<i>Esc&l#H</i>	Media Source.....	A-7
<i>Esc&l#J</i>	Auto Centering and Justification	20-24
<i>Esc&l#L</i>	Perforation Skip Mode	7-22
<i>Esc&l#M</i>	Media Type	6-15
<i>Esc&l#O</i>	Orientation.....	7-11
<i>Esc&l#P</i>	Page Length.....	7-3
<i>Esc&l#R</i>	Clear Vertical Tab (Absolute)	20-4
<i>Esc&l#S</i>	Simplex/Duplex	6-4
<i>Esc&l#T</i>	Job Separation	6-3
<i>Esc&l#U</i>	Left Registration	6-6
<i>Esc&l#V</i>	Print with Paper Motion via VFC	20-5
<i>Esc&l#W</i>	Define VFC Table.....	20-5
<i>Esc&l#X</i>	Copies	6-8
<i>Esc&l#Y</i>	Set Vertical Tab (Absolute).....	20-4
<i>Esc&l#Z</i>	Top Registration	6-6
<i>Esc&l1M</i>	Set Vertical Tab (Relative).....	20-4
<i>Esc&l2M</i>	Clear Vertical Tab (Relative)	20-4
<i>Esc&l3M</i>	Clear All Vertical Tabs	20-4
<i>Esc&n#W</i>	Alphanumeric ID	A-2
<i>Esc&p#C</i>	Palette Control	14-40
<i>Esc&p#I</i>	Palette Control ID	14-39
<i>Esc&p#S</i>	Select Palette	14-39
<i>Esc&p#W</i>	Escapement Encapsulated Text	5-14
<i>Esc&p#X</i>	Transparent Data Transfer	5-11
<i>Esc&r#F</i>	Flush All Pages.....	19-11
<i>Esc&s#C</i>	End-of-Line Wrap.....	5-13
<i>Esc&s#I</i>	Character Set Default Control	20-24
<i>Esc&t#P</i>	Text Parsing Method.....	5-17
<i>Esc&u#D</i>	Unit of Measure	6-9
<i>Esc&v#S</i>	Text Color	20-14
<i>Esc(#@</i>	Designate Primary Font.....	6-16
<i>Esc(#B</i>	Font Stroke Weight (Primary)	9-22
<i>Esc(#X</i>	Font Selection by ID (Primary)	9-43
<i>Esc(f#W</i>	Download Symbol Set	12-6

<i>Esc(ID</i>	Font Symbol Set (Primary).....	9-8
<i>Esc(s#H</i>	Font Pitch (Primary)	9-18
<i>Esc(s#P</i>	Font Spacing (Primary)	9-17
<i>Esc(s#Q</i>	Font Quality (Primary).....	20-25
<i>Esc(s#S</i>	Font Style (Primary)	9-20
<i>Esc(s#T</i>	Font Typeface (Primary)	9-23
<i>Esc(s#U</i>	Primary Font Placement	20-25
<i>Esc(s#V</i>	Font Height (Primary).....	9-19
<i>Esc(s#W</i>	Download Character	11-4
<i>Esc)#{@</i>	Designate Secondary Font.....	6-16
<i>Esc)#B</i>	Font Stroke Weight (Secondary)	9-22
<i>Esc)#X</i>	Font Selection by ID (Secondary)	9-43
<i>Esc)ID</i>	Font Symbol Set (Secondary).....	9-8
<i>Esc)s#H</i>	Font Pitch (Secondary).....	9-18
<i>Esc)s#P</i>	Font Spacing (Secondary)	9-17
<i>Esc)s#Q</i>	Font Quality (Secondary)	20-25
<i>Esc)s#S</i>	Font Style (Secondary).....	9-20
<i>Esc)s#T</i>	Font Typeface (Secondary)	9-23
<i>Esc)s#U</i>	Secondary Font Placement	20-25
<i>Esc)s#V</i>	Font Height (Secondary)	9-19
<i>Esc)s#W</i>	Download Font	10-4
<i>Esc*b#B</i>	Gray Balance	6-13
<i>Esc*b#M</i>	Compression Method	13-12
<i>Esc*b#S</i>	Seed Row Source	13-21
<i>Esc*b#V</i>	Transfer Raster by Plane	13-10
<i>Esc*b#W</i>	Transfer Raster by Row/Block	13-11
<i>Esc*b#X</i>	X Offset	20-14
<i>Esc*b#Y</i>	Raster Y Offset	13-9
<i>Esc*c#A</i>	Horizontal Rectangle Size (PCL Units)	16-22
<i>Esc*c#B</i>	Vertical Rectangle Size (PCL Units)	16-22
<i>Esc*c#C</i>	Large Character Placement	20-22
<i>Esc*c#D</i>	Font ID	10-3
<i>Esc*c#E</i>	Character Code	11-3
<i>Esc*c#F</i>	Font Control	10-39
<i>Esc*c#G</i>	Pattern ID	16-16
<i>Esc*c#H</i>	Horizontal Rectangle Size (decipoints).....	16-23
<i>Esc*c#K</i>	Plot Size (Horizontal).....	17-15
<i>Esc*c#L</i>	Plot Size (Vertical).....	17-15
<i>Esc*c#M</i>	Large Character Size	20-22
<i>Esc*c#N</i>	Large Character Tab	20-22
<i>Esc*c#P</i>	Fill Rectangular Area	16-23
<i>Esc*c#Q</i>	Pattern Control.....	16-20
<i>Esc*c#R</i>	Symbol Set Code	12-5
<i>Esc*c#S</i>	Large Character Horizontal Size.....	20-22
<i>Esc*c#S</i>	Symbol Set Control.....	12-11
<i>Esc*c#T</i>	Picture Frame Anchor Point	17-9
<i>Esc*c#V</i>	Vertical Rectangle Size (decipoints).....	16-23
<i>Esc*c#W]</i>	Download Pattern	16-18
<i>Esc*c#X</i>	Large Character X Offset	20-23
<i>Esc*c#X</i>	Picture Frame Size (Horizontal)	17-10
<i>Esc*c#Y</i>	Picture Frame Size (Vertical)	17-10

<i>Esc*c<text>Z</i>	Large Character Print Data.....	20-23
<i>Esc*g#W</i>	Configure Raster Data (CRD)	15-2
<i>Esc*g#W</i>	Configure Raster Data (format 1)	20-15
<i>Esc*i#W</i>	Viewing Illuminant	14-50
<i>Esc*l#O</i>	Logical Operation	16-5
<i>Esc*l#P</i>	Define Clip Mask.....	16-26
<i>Esc*l#R</i>	Pixel Placement	16-14
<i>Esc*l#W</i>	Color Lookup Tables	14-48
<i>Esc*m#W</i>	Download Dither Matrix	14-44
<i>Esc*o#A</i>	Finish Mode.....	14-51
<i>Esc*o#D</i>	Color Raster Graphics Depletion.....	6-13
<i>Esc*o#M</i>	Print Quality	6-14
<i>Esc*o#Q</i>	Mechanical Print Quality	6-14
<i>Esc*o#W</i>	Driver Function Configuration.....	6-17
<i>Esc*p#N</i>	Print Mode (Graphics)	20-9
<i>Esc*p#N</i>	Print Mode (Text)	20-10
<i>Esc*p#P</i>	Push/Pop Palette	14-37
<i>Esc*p#R</i>	Pattern Reference Point.....	16-21
<i>Esc*p#X</i>	Move CAP Horizontal (PCL Units).....	8-8
<i>Esc*p#Y</i>	Move CAP Vertical (PCL Units).....	8-10
<i>Esc*r#A</i>	Start Raster	13-5
<i>Esc*r#F</i>	Raster Presentation	13-7
<i>Esc*r#K</i>	Return Model Number	20-27
<i>Esc*r#L</i>	Horizontal Raster Resolution	20-8
<i>Esc*r#Q</i>	Raster Graphics Quality	20-10
<i>Esc*r#S</i>	Source Raster Width	13-8
<i>Esc*r#T</i>	Source Raster Height	13-9
<i>Esc*r#U</i>	Simple Color.....	14-13
<i>Esc*r#V</i>	Vertical Raster Resolution.....	20-8
<i>Esc*rB</i>	End Raster Graphics	20-14
<i>Esc*rC</i>	End Raster	13-6
<i>Esc*s#^</i>	Return Model Number	20-27
<i>Esc*s#I</i>	Inquire Entity.....	19-5
<i>Esc*s#M</i>	Free Space	19-10
<i>Esc*s#T</i>	Location Type.....	19-4
<i>Esc*s#U</i>	Location Unit.....	19-4
<i>Esc*s#X</i>	Echo	19-12
<i>Esc*t#F</i>	QMS Magnum-V Enable/Disable.....	20-27
<i>Esc*t#G</i>	GPIS Data Binding	20-8
<i>Esc*t#H</i>	Destination Raster Width	13-22
<i>Esc*t#H</i>	Horizontal Picture Dimension	20-8
<i>Esc*t#I</i>	Gamma Correction.....	14-49
<i>Esc*t#J</i>	Render Algorithm	14-42
<i>Esc*t#K</i>	Scale Algorithm.....	13-23
<i>Esc*t#M</i>	Vector Graphics Operating Mode.....	20-9
<i>Esc*t#N</i>	Vector Graphics Mapping Mode	20-9
<i>Esc*t#P</i>	Print Control	20-9
<i>Esc*t#R</i>	Raster Resolution.....	13-6
<i>Esc*t#V</i>	Destination Raster Height	13-22
<i>Esc*t#V</i>	Vertical Picture Dimension	20-11
<i>Esc*t#W</i>	GPIS Data Transfer.....	20-11

<i>Esc*v#A</i>	Color Component 1.....	14-36
<i>Esc*v#B</i>	Color Component 2.....	14-36
<i>Esc*v#C</i>	Color Component 3.....	14-36
<i>Esc*v#I</i>	Assign Color Index.....	14-36
<i>Esc*v#N</i>	Transparency Mode (Source)	16-10
<i>Esc*v#O</i>	Transparency Mode (Pattern)	16-10
<i>Esc*v#S</i>	Foreground Color.....	14-41
<i>Esc*v#T</i>	Current Pattern.....	16-16
<i>Esc*v#W</i>	Configure Image Data (CID).....	14-15
<i>Esc*z#C</i>	Bar Code Label Placement	20-11
<i>Esc*z#H</i>	Bar Code Label Height.....	20-11
<i>Esc*z#Q</i>	Bar Code Header Control.....	20-12
<i>Esc*z#R</i>	Bar Code Wide Bar Width	20-13
<i>Esc*z#S</i>	Bar Code Narrow Bar Width	20-13
<i>Esc*z#T</i>	Bar Code Wide Space Width.....	20-13
<i>Esc*z#U</i>	Bar Code Narrow Space Width	20-13
<i>Esc*z#V</i>	Bar Code Selection	20-13
<i>Esc*z#X</i>	Bar Code Label X Offset.....	20-12
<i>Esc*z<bar code>Z</i>	Bar Code Label.....	20-12
<i>Esc=</i>	Half Linefeed.....	20-3
<i>Esc?</i>	I/O Status Request	20-26
<i>Esc^</i>	Primary Status Request	20-27
<i>Esc1</i>	Set Horizontal Tab at Current Column	20-3
<i>Esc2</i>	Clear Horizontal Tab at Current Column	20-3
<i>Esc3</i>	Clear All Horizontal Tabs	20-3
<i>Esc4</i>	Set Left Margin at Current Horiz Position	20-26
<i>Esc5</i>	Set Right Margin at Current Horiz Position	20-26
<i>Esc9</i>	Clear Horizontal Margins.....	7-20
<i>EscE</i>	Reset.....	17-6
<i>EscE</i>	Reset.....	6-2
<i>EscI</i>	Horizontal Tabulation	20-3
<i>Escn</i>	Transfer to the On-Line State	20-27
<i>Esco</i>	Transfer to the Off-Line State	20-27
<i>EscY</i>	Display Functions Mode ON.....	5-11
<i>EscZ</i>	Display Functions Mode OFF	5-11
<i>Escz</i>	Self Test	6-12

6 Index by Escape Sequence